

есепті қостиғаса болу.

```
#include <bits/stdc++.h>
```

```
#define pb push_back
```

```
#define mp make_pair
```

```
#define all(x) (x).begin(), (x).end()
```

```
#define sz(x) (int)(x).size()
```

- ?

```
const int MAXN = (int) 1e6 + 5;
```

```
const int MOD = (int) 1e9 + 7;
```

```
int a[MAXN]
```

```
int d[MAXN]
```

```
int n;
```

```
int main() {
```

```
ios::sync_with_stdio(0);
```

```
cin.tie(0);
```

```
cin >> n;
```

```
for (int i = 1; i <= n; i++)
```

```
{ cin >> a[i]; }
```

```
sort(a+1, a+n+1);
```

—

```
int t = n
```

```
d[1] = (int) 2e9;
```

```
for (int i = 2; i <= n; i++)
```

```
d[i] = a[i] - a[i-1]
```

```
vector<pair<int, int> values;
```

```
for (int i = 1; i < n; i++)
```

```
for (int j = t; j <= n; j++)
```

```
ptr++;
```

```
int i = *prev(s.begin());
```

```
ans += (j - i);
```

}

```
cout << ans << endl;
```

```
return 0;
```

60 унай

B - 0.

C - 0.

Тарихын - 60 унай